

Type	Drow No.	DIMENSIONS(mm)							Weight (g)	C1	Le(mm)	Ae(mm ²)	Ve(mm ³)	Aw(mm ²)	Amin(mm ²)	AL ± 25% (nN/H ²)	
		A	B	C	D1	D2	E	F								JF40	JF95
EFD5.5	819	5.65 ^{+0.1} _{-0.05}	4.3min	1.6±0.05	1.4±0.05	2.65±0.1	2.6±0.1	3.2	0.3	5.6	15.1	2.7	40.9	7.3	7.3	360	
EFD12	844	12.7±0.2	8.9±0.2	4.5±0.15	3.5±0.1	5.4±0.15	8.2±0.15	10.6±0.15	4.4	2.42	43.3	17.9	777	36.1	36.1	850	
EFD13	864	13.2±0.3	9.8min	6.65±0.15	1.8 ⁺⁰ _{-0.3}	3.75±0.1	3.9 ^{+0.25} ₋₀	5.95±0.1	1.6	2.23	25.4	11.4	289	13.5	13.5	800	
EFD15	727	15.0±0.4	10.8min	5.3±0.15	2.3±0.1	4.6±0.15	5.5±0.2	7.5±0.2	2.8	2.27	34.0	15.0	510	32.5	32.5	850	
EFD15A	897	15.0±0.4	10.8min	5.4±0.15	2.45±0.1	4.6±0.2	5.4±0.15	7.5±0.2	2.9	2.24	34.0	15.2	516	31.3	31.3	850	
EFD16.9	952	16.9±0.25	11.55min	5.8±0.15	2.7±0.1	4.45±0.1	16.5 ^{+0.25} _{-0.1}	19.45 ^{+0.25} _{-0.15}	8	4.2	78.0	18.7	1460	99	99	680	
EFD1614	1623	16.45±0.3	12.7min	6.0±0.2	2.5±0.2	4.8±0.2	5.3±0.2	7.4±0.2	3.2	2.04	35.3	17.3	608.4				1300
EFD16.5	818	16.55±0.25	11.4min	5.8±0.1	2.8±0.1	4.45±0.1	16.45 ^{+0.2} _{-0.15}	19.4±0.15	7	1.52	47.0	31.0	1460	96.2	96.2	1200	
EFD17.5	1617	17.35±0.35	11.6min	6.1±0.1	3.75±0.1	5.0±0.2	5.2±0.1	7.5±0.2	4.3	1.42	34.6	24.3	840			1200	
EFD17.7	855	17.7±0.30	13.1min	7.5±0.15	3.3±0.1	5.6±0.15	8.60±0.2	10.90±0.2	6.2	2.14	54.8	25.6	1370	50.3	50.3	1050	
EFD17.8	926	17.8±0.3	13.7min	6.8±0.15	2.9±0.1	4.8±0.15	7.5±0.2	10.0±0.2	4.5	2.3	45.4	19.9	904	54	54	800	
EFD1715	1645	17.0±0.3	13.0±0.3	6.0 ^{+0.15} _{-0.2}	3.3±0.25	5.6±0.2	5.5±0.2	8.05±0.15	4.55	1.568977778	35.3	22.5	794.3				1800
EFD20	729	20.0±0.55	14.9min	8.9±0.2	3.6±0.2	6.65±0.15	7.7±0.25	10.0±0.25	7.8	1.52	47.0	31.0	1460	50.4	50.4	1200	
EFD20A	1600	20.0±0.55	15.2min	8.8±0.2	3.6±0.2	5.4±0.15	7.8±0.25	10.1±0.25	7.5	1.8	45.5	26.0	1211	54.2	54.2		
EFD20.2	933	20.2±0.3	15.9min	6.4±0.1	2.2±0.1	4.0±0.3	9.2±0.3	10.9±0.3	4.5	3.1	51.0	16.5	842	90.2	90.2	1300	
EFD20.9	740	20.9 ^{+0.3} _{-0.2}	15.9min	7.8±0.2	3.0±0.1	4.8±0.15	5.6±0.2	8.1±0.30	4.9	1.6	37.9	23.3	881	47	47	1200	
EFD2025	1627	20.5±0.4	15.5min	10.0±0.2	2.0±0.2	4.0±0.2	9.5±0.15	12.5±0.15		2.63	51.5	19.6	1009.8			800	
EFD20B	777	20.0±0.55	14.9min	8.9±0.2	3.6±0.2	5.7±0.2	9.3±0.15	11.5±0.15	7.3	1.98	51.2	25.8	1323	60.9	60.9	1100	
EFD21	843	21.2±0.4	15.8min	9.4±0.2	3.3±0.1	5.9±0.15	9.2±0.2	11.8±0.2	8.5	1.77	53.4	30.1	1610	62.6	62.6	1200	
EFD2328	1605	22.5±0.5	16.6min	11.0±0.25	1.9±0.2	4.0±0.2	11.1±0.2	13.9±0.2	16.3	2.69	58.4	21.7	1269.8	20.9	20.9	800	
EFD23A	1615	23.6±0.4	17.6min	11.0±0.25	1.9±0.2	4.0±0.2	11.5±0.2	14.30±0.2	17	2.78	61.0	21.9	1335.6	20.9	20.9	720	
EFD25	763	25.0±0.4	18.7min	11.2±0.2	5.2±0.2	9.1±0.2	9.3±0.2	12.5±0.2	17	0.98	57.0	58.0	3300	73.5	73.5	2000	
EFD25A	829	25.0±0.65	18.7±0.6	11.4±0.2	5.2±0.2	9.1±0.2	9.3±0.25	12.5±0.25	17	0.98	57.0	58.0	3300	73.9	73.9	2000	
EFD25B	986	25.6±0.65	19.4±0.6	11.4±0.2	5.2±0.15	9.2±0.2	9.5±0.25	12.7±0.15	17	1	55.8	58.3	3249.7	76	76	2000	
EFD25C	1026	25.0±0.4	19.2min	9.5 ^{-0.2} _{+0.15}	6.5±0.15	11.5±0.25	13.4±0.15	16.8±0.25	25	1	76.5	73.6	5152	135.3	135.3	2100	
EFD26	1027	26.3±0.5	20.0min	11.3±0.2	5.15±0.15	9.1±0.2	9.3±0.25	12.5±0.15	17	1.1	59.5	56.1	3336	87.4	87.4	2000	
EFD26	1027A	26.3±0.5	20min(20.5)	11.3±0.2	5.15±0.15	9.1±0.2	10.8±0.2	13.8±0.2	17	1.1	59.5	56.1	3336	87.4	87.4	2000	
EFD26A	1643	26.3±0.5	20min(20.5)	11.3±0.2	5.15±0.15	9.1±0.2	9.3 ^{+0.25} ₋₀	12.5±0.15	17	1.1	59.5	56.1	3336	87.4	87.4	2000	
EFD27.5	889	27.5±0.5	20.7min	11.5±0.2	4.3±0.2	8.0±0.2	9.0±0.25	12.5±0.2	15.8	1.2	62.8	52.3	4584	87.3	87.3	1700	
EFD28.3	1047	28.3±0.3	21.1min	7.5±0.2	10.5±0.2	16.5±0.25	13.15±0.3	17.2±0.3	38.8	0.8	77.6	97.3	7556	182.8	182.8		
EFD30	854	30.6±0.6	24.1min	14.6±0.25	4.90±0.15	9.0±0.2	11.4±0.2	15.2±0.3	22.3	1.02	70.6	69.1	4878	115.1	115.1	2300	
EFD31A	719	31.5±0.5	23.5min	14.6±0.25	4.90±0.15	9.0±0.2	11.4±0.2	15.2±0.3	24	0.97	68.0	69.8	4746	107.2	107.2	2300	
EFD31B	867	31.0±0.5	21.2min	14.0±0.3	3.9±0.3	6.5±0.3	13.5±0.25	18.0±0.25	25.3	1.41	81.2	57.6	4672	104	104	1400	
EFD31C	922	31.4±0.6	24.6min	14.6±0.25	4.90±0.2	9.0±0.2	11.4±0.2	15.2±0.3	23.5	0.98	68.0	69.2	4760	120.8	55.8	2300	
EFD31D	1639	31.0±0.5	22.7±0.5	13.2±0.25	3.9±0.15	6.5±0.15	13.5±0.15	18.2±0.15	25.3	1.41	81.2	57.6	4672	104	104	1400	
EFD33	1607	33.0±0.5	23.0min	15.25±0.25	2.95±0.15	5.2±0.25	15.5±0.2	20.3±0.2	22	1.8	87.6	47.7	4177.4	127.9	44.99	1500	
EFD33.5	1046	33.5±0.4	23.0min	15.3±0.2	3.8±0.2	6.1±0.2	19.2±0.2	25.0±0.2	31.6	1.7	104.0	61.3	6375.7	155.5	58.14	1650	
EFD3336	1631	33.0±0.5	24.0±0.4	15.0±0.25	4.0±0.15	6.5±0.2	13.65±0.15	18.15±0.2	24.2	1.28	75.7	59.1	4472.9			1600	
EFD3434	1630	33.7±0.5	23.7±0.45	17.0±0.2	3.9±0.1	6.7±0.15	11.0±0.2	16.0±0.2	24.8	0.96	64.1	66.7	4277				2800
EFD3446	1616	33.7±0.5	23.7±0.45	17.0±0.2	3.0±0.1	5.0±0.15	18.0±0.15	23.0±0.15	25.3	1.82	91.8	50.4	4631.5			1300	
EFD34L	1622	34.8±0.5	24.2min	17.0±0.2	3.5±0.2	5.4±0.3	16.8±0.3	22.3±0.3		1.55	88.6	57.2	5068.7				1800

EFD3543	1628	35.5±0.7	25.2min	16.5±0.3	4.0±0.15	6.6±0.2	16.5±0.2	21.5±0.2	32.5	1.34	88.3	66.0	5828.5			447	
EFD3543	1628-1	35.5±0.7	25.2min(25.7)	16.5 ^{+0.15} _{-0.2} (16.45)	3.9±0.1	6.5 ^{+0.1} _{-0.2}	16.6±0.2	21.6±0.2	32.5	1.34	88.3	66.0	5828.5			447	
EFD3550	1635	35.0±0.5	24.7 ^{+0.7} _{-0.3}	15.35±0.25	3.75±0.15	5.7±0.15	20.0±0.2	25.3±0.2	32.5	1.797051171	103.6	57.7	5973			1200	
EFD36	1608	36±0.8	25.8min	13.9±0.3	4.95±0.2	9.85±0.3	4.95±0.2	9.85±0.3	24	0.6	50.1	84.3	4218.7	62.9	68.81	3700	
EFD37.8	876	37.8±0.5	22.4±0.45	13.8±0.2	4.0±0.15	5.0±0.2	21.6±0.2	29.0±0.2	42.2	1.61	111.2	68.8	7651	185.8	55.2	1300	
EFD38	1602	37.3±0.5	29.6±0.4	18.8±0.25	3.5±0.2	7.7±0.2	10.9±0.2	15.4±0.2	23	1.1	72.9	64.1	4674	117.7	59.29		
EFD3838	1633	38.5±0.5	27.5±0.4	18.0±0.25	5±0.15	8.0±0.2	13.75±0.15	19.25±0.2	40	0.89	79.1	88.8	7071.8			2400	
EFD40	833	40.5±0.5	30.6min	16.6±0.2	6.6±0.1	10.6±0.2	16.3±0.2	22.5±0.2	58	1.02	108.8	106.5	10951	236.4	99.64	2300	
EFD4050	1606	40.2±0.6	29.3±0.6	20.0±0.3	3.0±0.15	6.1±0.15	18.0±0.2	24.7±0.2	33.6	1.6	103.6	65.7	6808	167.4	60		
EFD40A	1015	40.0±0.6	29.5min	20.0±0.2	4.0±0.1	8.0±0.2	17.0±0.2	22.0±0.3	28.3	1.2	98.7	80.0	7898	171.7	79.2	1900	
EFD4133H	1620	41.5±0.6	28.5±0.5	21.1±0.3	4.5±0.15	7.3±0.2	10.05±0.2	16.55±0.2	35.8	0.68	64.4	94.9	6116.2				4200
EFD4142	1618	40.9±0.5	32.7min	21.0±0.2	3.5±0.2	7.7±0.2	15.0±0.2	21.0±0.2	37.3	1.23	84.8	68.9	5841.9			1600	
EFD42	949	42.0±0.6	32.0min	17.6 ^{+0.25} _{-0.3}	7.8±0.25	14.8±0.3	15.25±0.2	21.35±0.2	74.5	0.7	99.4	137.0	13618	228.8	137.28	2500	
EFD42.9	1609	42.9±0.7	27.8min	21.6±0.3	4.4±0.2	6.6±0.2	18.9±0.2	26.3±0.2	54	1.1	108.5	95.5	10362.2	130.4	95.04	2100	
EFD42.9A	1609-1	42.9±0.7	27.8min	21.6±0.3	4.3±0.2	6.5±0.2	18.9±0.2	26.3±0.2	54	1.14	108.5	95.5	10362.2				2400
EFD42.9B	1637	42.9±0.6	28.8min(29.3)	21.6±0.25	4.4±0.15	6.5±0.3	18.7±0.2	26.1±0.2	54	1.09146143	100.6	92.2	9271.3				2100
EFD43.7	1031	43.7±0.7	29.5min	20.3±0.3	4.0±0.15	6.1±0.15	21.5±0.15	28.5±0.15	50.5	1.5	120.4	82.4	9918	212.9	81.2	1600	
EFD4352	1612	43.5±0.6	29.4±0.6	21.6±0.3	4.4±0.2	7.65±0.25	18.5±0.25	26.0±0.25	50.5	1.04	107.6	103.0	11087			2000	
EFD4353	1024	43.5±0.5	29.0±0.5	21.6±0.25	4.4±0.15	6.7±0.15	18.7±0.2	26.5±0.2	55.8	1.2	108.8	94.4	10285	138.4	95.04	2000	
EFD44	883	44.0±0.6	30.9min	20.0±0.3	6.6±0.2	10.0±0.2	15.8±0.2	22.3±0.3	65.5	0.76	98.9	129.6	12815	181.7	125	3000	
EFD4445	1011	44.5±0.5	34.0min	22.0±0.3	3.0±0.1	8.5±0.2	17.5±0.2	22.5±0.2	43.3	1.7	113.0	66.0	7787	218.8	66	1600	
EFD4450	1010	44.5±0.5	34.0min	21.5±0.3	3.0±0.1	6.0±0.2	18.0±0.2	25.0±0.2	38.4	1.6	107.6	65.7	7071	234	60	1500	
EFD44A	914	44.0±0.6	30.9min	20.0±0.3	5.6±0.15	9.0±0.2	13.7±0.2	20.2±0.3	56	0.83	93.8	113.7	10665	157.6	112	2500	
EFD45	1629	45.5±0.6	33.5±0.5	24.0±0.3	4.3±0.2	7.8±0.2	18.4±0.2	24.8±0.2	55	1.03	99.6	96.6	9620			2200	
EFD45.2	1040	45.2±0.5	35.4min	21.1±0.3	5.0±0.25	10.9±0.2	16.0±0.2	22.2±0.2	57.3	0.9	101.3	108.9	11032	236.8	101.37		
EFD45A	1632	45.0±0.5	30.7±0.4	21.6±0.25	4.15±0.15	6.1±0.15	20.2±0.2	27.6±0.15	53.5	1.2	108.3	88.7	9608.6			1700	
EFD45A	1632-1	45.0±0.5	30.7min(31.2)	21.6±0.25	4.15±0.15	6.1±0.15	20.2±0.2	27.6±0.15	52.7	1.23	108.6	85.6	9293.9				
EFD45B	1049	45.0±0.5	33.5min	22.5±0.35	2.8±0.2	6.0±0.25	17.2±0.2	22.7±0.15	35	1.48	95.0	64.0	6080	197.8	63	1500	
EFD46	1039	45.9±0.5	35.7min	23.2±0.3	3.3±0.25	7.6±0.2	16.1±0.2	22.1±0.2	42.5	1.3	100.3	78.3	7859	209.3	73.72		
EFD4756	1636	47 ^{+0.8} _{-0.6}	36.0min(31.1)	21.6±0.25	6.5±0.15	8.7±0.2	20.8±0.2	28.2±0.2									
EFD48	1009	48.0±0.7	35.2min	22.9±0.3	3.5±0.25	6.4±0.3	18.7±0.2	27.0±0.2	52	1.4	119.3	85.5	12043	243.1	77.44	1700	
EFD49	1603	49.0±0.5	35.8±0.5	27.0±0.3	3.5±0.2	7.0±0.25	24.3±0.2	31.6±0.2		1.32	124.4	94.6	11760.5				
EFD50	884	50.5±0.6	37.5min	21.5±0.3	7.5±0.2	12.0±0.25	18.6±0.2	25.8±0.2	89	0.77	120.8	155.8	18820	308.8	148.8	3000	
EFD50A	1016	50.0±0.7	36.0min	26.5±0.4	4.0±0.1	8.0±0.2	18.25±0.2	25.0±0.3	57	1	110.3	106.6	11753	186.2	106	3000	
EFD50B	1610	51.0±0.8	34.4min	24.0±0.4	3.2±0.2	6.2±0.2	20.6±0.3	28.0±0.3	54	1.5	119.3	81.8	9765			1600	
EFD51	835	51.0±0.8	38.6min	22.9±0.3	5.0±0.15	10.0±0.25	18.8±0.2	26.5±0.2	79	0.86	111.0	128.5	14263	310.2	114.5	2400	
EFD51A	964	51.0±0.5	35.5min	22.3±0.3	9.0±0.1	13.5±0.2	22.2±0.2	30.0±0.2	131	0.6	130.9	201.7	26417	304.1	200.7	3500	
EFD61.2	1038	61.2±0.6	44.6min	30.7±0.3	6.0±0.25	12.0±0.2	17.0±0.2	25.5±0.2	117	0.6	115.7	190.6	22057	246.5	184.2	3000	
EVD25	769	25.1±0.5	19.2min	8.8±0.25	8.3±0.3	12.7-0.5	9.85±0.25	12.9±0.2	24	0.8	58.9	73.1	4300	107.4	107.4	2300	